

Package Contents:

(1) CAFIQC3 – Quick Charge Hardwire Vehicle Power Adapter with In-Line Fuse

- 1 There are 3 wires to connect the wiring harness (circled). The red wire connects to the fuse panel or hot connection. The white wire goes to the ignition switch wire. The black wire is the ground and should be fastened to the metal body with a self-tapping screw or connected to an existing screw or bolt that is grounded to the body of the vehicle. It is best to locate the ground in a location that is not disturbed by daily activity in the vehicle.



Output: DC5V/3A, 9V/2A, 12V/1.5A
Input: 12/28 Volt

- 2 After connecting the ground, you are now ready to connect the power wire with the inline fuse. Locate a constant hot 12-Volt fuse and connect the red wire using a fuse tap as well.

Optional: The ignition and constant hot 12-Volt wires may be connected directly to leads going into the fuse panel with a snap-splice connector also provided in installation pack.

Note: If using CAFIQC3 on electric forklifts with 36/48 Volt power, a voltage reducer (not included) should be used.

**Safety Precautions**

Arkon is not responsible for any damages caused to your vehicle, your device, or yourself due to the installation or use of this product.

ARKON® MOUNTS

Consumer Hotline:

USA (800) 841-0884

INT'L (626) 254-9005

Monday - Friday 9 am - 5 pm, PST

www.arkon.com

Arcadia, CA 91006 USA

Designed in USA | Made in Taiwan and USA

© Copyright 2022 Arkon Resources, Inc.